

salzer

LOAD BREAK SWITCHES



PRICE LIST 2017-2018



Switching Programmes

LB116, LB120, LB225, LB232, LB240, LB263, LB4080, LB4100, LB4125, LB5160, LB6250,

3 Pole	3 Pole + 1 Main Module	4 Pole + 1 Main Module	6 Pole	8 Pole
31300	31400	31500	31600	31800
31309	31409	31509	31609	31809

LB116, LB120 Available upto 5 Pole only

3 Pole+ 1 Neutral Module	4 Pole+ 1 Neutral Module	3 Pole+ 1 Auxillary Module	4 Pole+ 1 Auxillary Module	3 Pole+ 2 Neutral Modules	3 Pole+ 2 Auxillary Modules
31310	31410	31320	31420	31330	31340
31319	31419	31329	31429	31339	31349

LB4080, LB4100, LB4125

3 Pole	3 Pole + 1 Main Module	4 Pole + 1 Main Module	6 Pole	8 Pole
31309	31409	31509	31609	31809

3 Pole+ 1 Neutral Module	4 Pole+ 1 Neutral Module	3 Pole+ 1 Auxillary Module	4 Pole+ 1 Auxillary Module	3 Pole+ 2 Neutral Modules	3 Pole+ 2 Auxillary Modules
31319	31419	31329	31429	31339	31349

3 POLE ON-OFF



Model	กระแส	ราคา
31300/31309-B03-LB116	16A	411
31300/31309-B03-LB120	20A	434



Model	กระแส	ราคา
31300/31309-B19-LB116	16A	584
31300/31309-B19-LB120	20A	606



Model	กระแส	ราคา
31300/31309-B40-LB116	16A	456
31300/31309-B40-LB120	20A	480



Model	กระแส	ราคา
31300/31309-B13-LB225	25A	543
31300/31309-B13-LB232	32A	565
31300/31309-B13-LB240	40A	638
31300/31309-B13-LB263	63A	684



Model	กระแส	ราคา
31300/31309-B30-LB225	25A	721
31300/31309-B30-LB232	32A	743
31300/31309-B30-LB240	40A	821
31300/31309-B30-LB263	63A	866



Model	กระแส	ราคา
31300-B33-LB225	25A	617
31300-B33-LB232	32A	638
31300-B33-LB240	40A	717
31300-B33-LB263	63A	762
31300-B33-LB080	80A	1936
31300-B33-LB100	100A	2217
31300-B33-LB125	125A	2542

3 POLE ON-OFF



Model	แอมแปร์	สต็อก
31300/31309-B63-LB225	25A	986
31300/31309-B63-LB232	32A	1007
31300/31309-B63-LB240	40A	1085
31300/31309-B63-LB263	63A	1131

Model	แอมแปร์	สต็อก
31300/31309-B23-LB225	25A	593
31300/31309-B23-LB232	32A	617
31300/31309-B23-LB240	40A	693
31300/31309-B23-LB263	63A	738

Model	แอมแปร์	สต็อก
31300/31309-MB42-LB116	16A	662
31300/31309-MB42-LB120	20A	684
31300/31309-MB42-LB225	25A	825
31300/31309-MB42-LB232	32A	849
31300/31309-MB42-LB240	40A	921
31300/31309-MB42-LB263	63A	966
31300/31309-MB42-LB080	80A	2038
31300/31309-MB42-LB100	100A	2333
31300/31309-MB42-LB125	125A	2676

Model	แอมแปร์	สต็อก
31309-MB34-LB116	16A	730
31309-MB34-LB120	20A	753
31309-MB34-LB225	25A	899
31309-MB34-LB232	32A	921
31309-MB34-LB240	40A	999
31309-MB34-LB263	63A	1044
31309-MB34-LB080	80A	2038
31309-MB34-LB100	100A	2333
31309-MB34-LB125	125A	2676

3 POLE ON-OFF + 1 Auxiliary Module



Model	กระแส	ราคา
31320/31329-B03-LB116	16A	556
31320/31329-B03-LB120	20A	580



Model	กระแส	ราคา
31320/31329-B19-LB116	16A	730
31320/31329-B19-LB120	20A	753



Model	กระแส	ราคา
31320/31329-B40-LB116	16A	602
31320/31329-B40-LB120	20A	625



Model	กระแส	ราคา
31320/31329-B13-LB225	25A	688
31320/31329-B13-LB232	32A	712
31320/31329-B13-LB240	40A	784
31320/31329-B13-LB263	63A	829



Model	กระแส	ราคา
31320/31329-B30-LB225	25A	866
31320/31329-B30-LB232	32A	890
31320/31329-B30-LB240	40A	966
31320/31329-B30-LB263	63A	1012



Model	กระแส	ราคา
31320/31329-B33-LB225	25A	762
31320/31329-B33-LB232	32A	784
31320/31329-B33-LB240	40A	862
31320/31329-B33-LB263	63A	908

3 POLE ON-OFF + 1 Auxiliary Module



Model	กระแส (A)	น้ำหนัก (kg)
31320/31329-B63-LB225	25A	1131
31320/31329-B63-LB232	32A	1153
31320/31329-B63-LB240	40A	1231
31320/31329-B63-LB263	63A	1276



Model	กระแส (A)	น้ำหนัก (kg)
31320/31329-B23-LB225	25A	738
31320/31329-B23-LB232	32A	762
31320/31329-B23-LB240	40A	838
31320/31329-B23-LB263	63A	884



Model	กระแส (A)	น้ำหนัก (kg)
31320/31329-B42-LB116	16A	808
31320/31329-B42-LB120	20A	829
31320/31329-B42-LB225	25A	670
31320/31329-B42-LB232	32A	994
31320/31329-B42-LB240	40A	1066
31320/31329-B42-LB263	63A	1112



Model	กระแส (A)	น้ำหนัก (kg)
31320/31329-MB34-LB116	16A	875
31320/31329-MB34-LB120	20A	899
31320/31329-MB34-LB225	25A	1044
31320/31329-MB34-LB232	32A	1066
31320/31329-MB34-LB240	40A	1144
31320/31329-MB34-LB263	63A	1190

3 POLE ON-OFF + 2 Auxiliary Module



Model	กระแส	ราคา
31340/31349-B03-LB116	16A	701
31320/31329-B13-LB120	20A	725



Model	กระแส	ราคา
31340/31349-B19-LB116	16A	875
31320/31329-B19-LB120	20A	899



Model	กระแส	ราคา
31340/31349-B40-LB116	16A	747
31320/31329-B40-LB120	20A	771



Model	กระแส	ราคา
31340/31349-B13-LB225	25A	834
31320/31329-B13-LB232	32A	858
31320/31329-B13-LB240	40A	929
31320/31329-B13-LB263	63A	975



Model	กระแส	ราคา
31340/31349-B30-LB225	25A	1012
31320/31329-B30-LB232	32A	1036
31320/31329-B30-LB240	40A	1112
31320/31329-B30-LB263	63A	1157



Model	กระแส	ราคา
31340/31349-B33-LB225	25A	908
31320/31329-B33-LB232	32A	929
31320/31329-B33-LB240	40A	1007
31320/31329-B33-LB263	63A	1053

3 POLE ON-OFF + 2 Auxiliary Module



Model	ns=ns	S1R1
31340/31349-B63-LB225	25A	1276
31320/31329-B63-LB232	32A	1300
31320/31329-B63-LB240	40A	1376
31320/31329-B63-LB263	63A	1422



Model	ns=ns	S1R1
31340/31349-B23-LB225	25A	884
31320/31329-B23-LB232	32A	908
31320/31329-B23-LB240	40A	986
31320/31329-B23-LB263	63A	1031



Model	ns=ns	S1R1
31340/31349-B42-LB116	16A	953
31340/31349-B42-LB120	20A	975
31340/31349-B42-LB225	25A	1118
31340/31349-B42-LB232	32A	1140
31340/31349-B42-LB240	40A	1214
31340/31349-B42-LB263	63A	1259



Model	ns=ns	S1R1
31340/31349-MB34-LB116	16A	1020
31340/31349-MB34-LB120	20A	1044
31340/31349-MB34-LB225	25A	1190
31340/31349-MB34-LB232	32A	1214
31340/31349-MB34-LB240	40A	1289
31340/31349-MB34-LB263	63A	1335

4 POLE ON-OFF (3Pole + 1 Main/Neutral Module)



Model	ကန့်သတ်ချက်	ပမာဏ
31400/31409/31310/31319-B03-LB116	16A	480
31400/31409/31310/31319-B03-LB120	20A	502



Model	ကန့်သတ်ချက်	ပမာဏ
31400/31409/31310/31319-B19-LB116	16A	651
31400/31409/31310/31319-B19-LB120	20A	675



Model	ကန့်သတ်ချက်	ပမာဏ
31400/31409/31310/31319-B40-LB116	16A	526
31400/31409/31310/31319-B40-LB120	20A	547



Model	ကန့်သတ်ချက်	ပမာဏ
31400/31409/31310/31319-B13-LB225	25A	634
31400/31409/31310/31319-B13-LB232	32A	656
31400/31409/31310/31319-B13-LB240	40A	730
31400/31409/31310/31319-B13-LB263	63A	775



Model	ကန့်သတ်ချက်	ပမာဏ
31400/31409/31310/31319-B30-LB225	25A	812
31400/31409/31310/31319-B30-LB232	32A	834
31400/31409/31310/31319-B30-LB240	40A	912
31400/31409/31310/31319-B30-LB263	63A	957



Model	ကန့်သတ်ချက်	ပမာဏ
31409 /31319 -B33-LB225	25A	708
31409 /31319 -B33-LB232	32A	730
31409 /31319 -B33-LB240	40A	808
31409 /31319 -B33-LB263	63A	853
31409 /31319 -B33-LB080	80A	2153
31409 /31319 -B33-LB100	100A	2433
31409 /31319 -B33-LB125	125A	2759

4 POLE ON-OFF (3Pole + 1 Main/Neutral Module)



Model	กระแส	ราคา
31400/31409/31310/31319-B63-LB225	25A	1077
31400/31409/31310/31319-B63-LB232	32A	1099
31400/31409/31310/31319-B63-LB240	40A	1177
31400/31409/31310/31319-B63-LB263	63A	1222

Model	กระแส	ราคา
31400/31409/31310/31319-B23-LB225	25A	684
31400/31409/31310/31319-B23-LB232	32A	708
31400/31409/31310/31319-B23-LB240	40A	784
31400/31409/31310/31319-B23-LB263	63A	829

Model	กระแส	ราคา
31400/31409/31310/31319-B42-LB116	16A	730
31400/31409/31310/31319-B42-LB120	20A	753
31400/31409/31310/31319-B42-LB225	25A	916
31400/31409/31310/31319-B42-LB232	32A	940
31400/31409/31310/31319-B42-LB240	40A	1012
31400/31409/31310/31319-B42-LB263	63A	1057
31400/31409/31310/31319-B42-LB080	80A	2266
31400/31409/31310/31319-B42-LB100	100A	2561
31400/31409/31310/31319-B42-LB125	125A	2904

Model	กระแส	ราคา
31409/31319-MB34-LB116	16A	799
31409/31319-MB34-LB120	20A	821
31409/31319-MB34-LB225	25A	990
31409/31319-MB34-LB232	32A	1012
31409/31319-MB34-LB240	40A	1090
31409/31319-MB34-LB263	63A	1135
31409/31319-MB34-LB080	80A	2266
31409/31319-MB34-LB100	100A	2561
31409/31319-MB34-LB125	125A	2904
31409/31319-MB34-LB160	160A	3670
31409/31319-MB34-LB200	200A	7155
31409/31319-MB34-LB250	250A	8203
31409/31319-MB34-LB400	400A	10071

4 POLE ON-OFF + 1 Aux Module



Model	ကန့်သတ်ချက်	ဧရိယာ
31400/31409/31310/31319-B03-LB116	16A	625
31400/31409/31310/31319-B03-LB120	20A	878



Model	ကန့်သတ်ချက်	ဧရိယာ
31400/31409/31310/31319-B19-LB116	16A	799
31400/31409/31310/31319-B19-LB120	20A	821



Model	ကန့်သတ်ချက်	ဧရိယာ
31400/31409/31310/31319-B40-LB116	16A	671
31400/31409/31310/31319-B40-LB120	20A	693



Model	ကန့်သတ်ချက်	ဧရိယာ
31400/31409/31310/31319-B13-LB225	25A	780
31400/31409/31310/31319-B13-LB232	32A	803
31400/31409/31310/31319-B13-LB240	40A	875
31400/31409/31310/31319-B13-LB263	63A	921



Model	ကန့်သတ်ချက်	ဧရိယာ
31400/31409/31310/31319-B30-LB225	25A	957
31400/31409/31310/31319-B30-LB232	32A	981
31400/31409/31310/31319-B30-LB240	40A	1057
31400/31409/31310/31319-B30-LB263	63A	1103



Model	ကန့်သတ်ချက်	ဧရိယာ
31409 / 31319-B33-LB225	25A	853
31409 / 31319-B33-LB232	32A	875
31409 / 31319-B33-LB240	40A	953
31409 / 31319-B33-LB263	63A	999

4 POLE ON-OFF + 1 Aux Module



Model	ns:lla	S1A1
31400/31409/31310 /31319-B63-LB225	25A	1222
31400/31409/31310 /31319-B63-LB232	32A	1244
31400/31409/31310 /31319-B63-LB240	40A	1322
31400/31409/31310 /31319-B63-LB263	63A	1368



Model	ns:lla	S1A1
31400/31409/31310/31319-B23-LB225	25A	829
31400/31409/31310/31319-B23-LB232	32A	853
31400/31409/31310/31319-B23-LB240	40A	929
31400/31409/31310/31319-B23-LB263	63A	975



Model	ns:lla	S1A1
31400/31409/31310/31319-B42-LB116	16A	875
31400/31409/31310/31319-B42-LB120	20A	899
31400/31409/31310/31319-B42-LB225	25A	1062
31400/31409/31310/31319-B42-LB232	32A	1085
31400/31409/31310/31319-B42-LB240	40A	1157
31400/31409/31310/31319-B42-LB263	63A	1203



Model	ns:lla	S1A1
31409 /31319-MB34-LB116	16A	944
31409 /31319-MB34-LB120	20A	966
31409 /31319-MB34-LB225	25A	1135
31409 /31319-MB34-LB232	32A	1157
31409 /31319-MB34-LB240	40A	1235
31409 /31319-MB34-LB263	63A	1281

5 POLE ON-OFF



Model	แอมแปร์	สต็อก
31500/31509/31410/31419/31330/31339-B03-LB116	16A	N/A
31500/31509/31410/31419/31330/31339-B03-LB120	20A	571



Model	แอมแปร์	สต็อก
31500/31509/31410/31419/31330/31339-B19-LB116	16A	721
31500/31509/31410/31419/31330/31339-B19-LB120	20A	743



Model	แอมแปร์	สต็อก
31500/31509/31410/31419/31330/31339-B40-LB116	16A	593
31500/31509/31410/31419/31330/31339-B40-LB120	20A	617



Model	แอมแปร์	สต็อก
31500/31509/31410/31419/31330/31339-B13-LB225	25A	725
31500/31509/31410/31419/31330/31339-B13-LB232	32A	747
31500/31509/31410/31419/31330/31339-B13-LB240	40A	821
31500/31509/31410/31419/31330/31339-B13-LB263	63A	866



Model	แอมแปร์	สต็อก
31500/31509/31410/31419/31330/31339-B30-LB225	25A	903
31500/31509/31410/31419/31330/31339-B30-LB232	32A	925
31500/31509/31410/31419/31330/31339-B30-LB240	40A	1003
31500/31509/31410/31419/31330/31339-B30-LB263	63A	1049



Model	แอมแปร์	สต็อก
31500/31509/31410/31419/31330/31339-B33-LB225	25A	799
31500/31509/31410/31419/31330/31339-B33-LB232	32A	821
31500/31509/31410/31419/31330/31339-B33-LB240	40A	899
31500/31509/31410/31419/31330/31339-B33-LB263	63A	944
31500/31509/31410/31419/31330/31339-B33-LB080	80A	2369
31500/31509/31410/31419/31330/31339-B33-LB100	100A	2650
31500/31509/31410/31419/31330/31339-B33-LB125	125A	2975

5 POLE ON-OFF



Model	ns:IIA	S1A1
31500/31509/31410/31419/31330/31339-B63-LB225	25A	1168
31500/31509/31410/31419/31330/31339-B63-LB232	32A	1190
31500/31509/31410/31419/31330/31339-B63-LB240	40A	1268
31500/31509/31410/31419/31330/31339-B63-LB263	63A	1313



Model	ns:IIA	S1A1
31500/31509/31410/31419/31330/31339-B23-LB225	25A	775
31500/31509/31410/31419/31330/31339-B23-LB232	32A	799
31500/31509/31410/31419/31330/31339-B23-LB240	40A	875
31500/31509/31410/31419/31330/31339-B23-LB263	63A	921



Model	ns:IIA	S1A1
31500/31509/31410/31419/31330/31339-B42-LB116	16A	799
31500/31509/31410/31419/31330/31339-B42-LB120	20A	821
31500/31509/31410/31419/31330/31339-B42-LB225	25A	1007
31500/31509/31410/31419/31330/31339-B42-LB232	32A	1031
31500/31509/31410/31419/31330/31339-B42-LB240	40A	1103
31500/31509/31410/31419/31330/31339-B42-LB263	63A	1148
31500/31509/31410/31419/31330/31339-B42-LB080	80A	2494
31500/31509/31410/31419/31330/31339-B42-LB100	100A	2789
31500/31509/31410/31419/31330/31339-B42-LB125	125A	3132



Model	ns:IIA	S1A1
31509 /31419/31339-MB34-LB116	16A	866
31509 /31419/31339-MB34-LB120	20A	890
31509 /31419/31339-MB34-LB225	25A	1081
31509 /31419/31339-MB34-LB232	32A	1103
31509 /31419/31339-MB34-LB240	40A	1181
31509 /31419/31339-MB34-LB263	63A	1227
31509 /31419/31339-MB34-LB080	80A	2494
31509 /31419/31339-MB34-LB100	100A	2789
31509 /31419/31339-MB34-LB125	125A	3132

6 POLE ON-OFF



Model	ns:IIA	SIN
31600/31609-B13-LB225	25A	1305
31600/31609-B13-LB232	32A	1355
31600/31609-B13-LB240	40A	1522
31600/31609-B13-LB263	63A	1624



Model	ns:IIA	SIN
31600/31609-MB42-LB225	25A	1587
31600/31609-MB42-LB232	32A	1637
31600/31609-MB42-LB240	40A	1806
31600/31609-MB42-LB263	63A	1906
31600/31609-MB42-LB080	80A	3952
31600/31609-MB42-LB100	100A	4529
31600/31609-MB42-LB125	125A	5213



Model	ns:IIA	SIN
31600/31609-MB34-LB225	25A	1655
31600/31609-MB34-LB232	32A	1715
31600/31609-MB34-LB240	40A	1882
31600/31609-MB34-LB263	63A	1984
31600/31609-MB34-LB080	80A	3952
31600/31609-MB34-LB100	100A	4529
31600/31609-MB34-LB125	125A	5213

8 POLE ON-OFF



Model	ns:lla	S1A1
31800/31809-B13-LB225	25A	1487
31800/31809-B13-LB232	32A	1537
31800/31809-B13-LB240	40A	1700
31800/31809-B13-LB263	63A	1802



Model	ns:lla	S1A1
31800/31809-MB42-LB225	25A	1769
31800/31809-MB42-LB232	32A	1819
31800/31809-MB42-LB240	40A	1988
31800/31809-MB42-LB263	63A	2088
31800/31809-MB42-LB080	80A	4425
31800/31809-MB42-LB100	100A	5018
31800/31809-MB42-LB125	125A	5701



Model	ns:lla	S1A1
31800/31809-MB34-LB225	25A	1847
31800/31809-MB34-LB232	32A	1897
31800/31809-MB34-LB240	40A	2060
31800/31809-MB34-LB263	63A	2160
31800/31809-MB34-LB080	80A	4425
31800/31809-MB34-LB100	100A	5018
31800/31809-MB34-LB125	125A	5701

LOAD BREAK SWITCHES (max 4 poles) SUPPLIED IN B31SM IP65 PLASTIC ENCLOSURE

Suitable for 16A – 32A having Round padlock (max 3 locks) with Earth & Neutral links.



- Switch mounted in ABS / polycarbonate (optional) enclosure.
- Round padlocking device (Max.3 padlocks) to prevent the Switch from being made to ON by unauthorised personnel.
- Knob version available on request.
- Switch rear mounted for easy connection.
- Door interlock-cover cannot open in ON condition
- Tested for Nema Ratings 1,2,3,3R, 4,4x,12 & 13 asper UL50&Nema 250
- Fourth pole can be added.

Model	ns:llā	S1R1
31300-B31SM-LB116	16A	912
31300-B31SM-LB120	20A	936
31300-B31SM-LB225	25A	1285
31300-B31SM-LB232	32A	1309
31400-B31SM-LB116	16A	981
31400-B31SM-LB120	20A	1003
31400-B31SM-LB225	25A	1372
31400-B31SM-LB232	32A	1396

- Degree of protection : IP65
- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.
- Enclosure colour : Dark grey base and light grey cover.
- 25A/32A - 6 Pole/8Pole can be offered in B31L

LOAD BREAK SWITCHES (max 5 poles) SUPPLIED IN B31M IP65 PLASTIC ENCLOSURE,

Suitable for 40A –63A having Round padlock (max 3 locks) with Interlock in 'OFF' position and with Earth & Neutral link.



- Switch mounted in ABS enclosure, optional in polycarbonate.
- Tested for Nema Ratings 1,2,3,3R, 4, 4x,12 & 13 asper UL50&Nema 250
- Round padlocking device (Max.3 padlocks) to prevent the Switch from being made to ON by unauthorised personnel.
- Degree of protection : IP65.
- Switch rear mounted for easy connection.
- Door interlock-cover cannot open in ON condition

Model	ns:llā	S1R1
31309-B31M-LB240	40A	1509
31309-B31M-LB263	63A	1554
31409-B31M-LB240	40A	1595
31409-B31M-LB263	63A	1641
31509-B31M-LB240	40A	1682
31509-B31M-LB263	63A	1728

- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.
- Enclosure colour : Dark grey base and light grey cover.
- Fourth and Fifth pole can be added.
- 6 Pole/8Pole can be offered in B31L

LOAD BREAK SWITCHES (max 5 poles) SUPPLIED IN B31L IP65 PLASTIC ENCLOSURE,

Suitable for 80A, 100A, 125A having Round padlock (max 3 locks) , Interlock in OFF position.



- Switch mounted in ABS / polycarbonate (optional) enclosure.
- Door interlock-cover cannot open in ON condition
- Enclosure colour : Grey.
- Fourth and fifth pole can be added.
- Degree of protection : IP65.
- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.

- Switch rear mounted for easy connection.
- Leech Handle (Max.1 padlock) to prevent the Switch from being made to ON by unauthorised personnel.
- Tested for Nema Ratings 1,2,3,3R, 4,4x,12 & 13 asper UL50&Nema 250
- Interlock provided to open the lid only in OFF position.

Model	ns:llā	S1R1
31309-B31L-LB080	80A	3099
31309-B31L-LB100	100A	3397
31309-B31L-LB125	125A	3737
31409-B31L-LB080	80A	3327
31409-B31L-LB100	100A	3624
31409-B31L-LB125	125A	3965

LOAD BREAK SWITCHES (max 3 poles) SUPPLIED IN AB31S IP65 ALUMINIUM ENCLOSURE,

Suitable for 16A, 20A & 25A having Round padlock (max 3 locks) with Earth & Neutral links.



- Switch mounted in aluminium enclosure.
- Degree of protection : IP53.

- Round padlocking device (max. 3 padlocks) to prevent the Switch from being made to ON by unauthorised personnel.
- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.
- Enclosure colour : Dark grey base and light grey cover.

Model	ns:llā	S1R1
31300-AB31S-LB116	16A	1422
31300-AB31S-LB120	20A	1446
31300-AB31S-LB225	25A	1559

LOAD BREAK SWITCHES (max 4 poles) SUPPLIED IN AB31M IP65 ALUMINIUM ENCLOSURE,



- Switch mounted in aluminium enclosure.
- Degree of protection : IP65.
- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.

- Round padlocking device (max. 3 padlocks) to prevent the Switch from being made to ON by unauthorised personnel.
- Enclosure colour : Dark grey base and light grey cover.
- Fourth pole can be added.

Model	ns:llā	S1R1
31300-AB31M-LB232	32A	3277
31300-AB31M-LB240	40A	3351
31300-AB31M-LB263	63A	3397
31400-AB31M-LB232	32A	3364
31400-AB31M-LB240	40A	3436
31400-AB31M-LB263	63A	3481

LOAD BREAK SWITCHES (max 4 poles) SUPPLIED IN SB31M IP53 STEEL ENCLOSURE,

Suitable for 32A, 40A & 63A having Round padlock (max 3 locks) with Earth & Neutral links.



- Switch mounted in Steel enclosure.
- Round padlocking device (max. 3 padlocks) to prevent the Switch from being made to ON by unauthorised personnel.
- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.

Model	ns:lll	stl
31300-SB31SM-LB232	32A	1745
31300-SB31SM-LB240	40A	1819
31300-SB31SM-LB263	63A	1865
31400-SB31SM-LB232	32A	1832
31400-SB31SM-LB240	40A	1906
31400-SB31SM-LB263	63A	1951

- Fourth pole can be added.
- Degree of protection : IP53.
- Knob version available on request.
- 6 Pole/8Pole can be offered in SB31L
- Enclosure colour : Dark grey base and light grey cover.

LOAD BREAK SWITCHES (max 4 poles) SUPPLIED IN SB31L IP53 STEEL ENCLOSURE,

Suitable for 80A, 100A & 125A having Round padlock (max 3 locks) with Earth & Neutral links.



- Switch mounted in Steel enclosure.
- Round padlocking device / Leech handle (max. 3 padlocks) to prevent the Switch from being made to ON by unauthorised personnel.
- RED / YELLOW-handle colour for MAIN / EMERGENCY Switches.

Model	ns:lll	stl
31300-SB31L-LB080	80A	3791
31300-SB31L-LB100	100A	4089
31300-SB31L-LB125	125A	4429
31400-SB31L-LB080	80A	4019
31400-SB31L-LB100	100A	4317
31400-SB31L-LB125	125A	4657

- Degree of protection : IP53.
- Knob version available on request.
- Fourth pole can be added.
- Enclosure colour : Dark grey base and light grey cover.
- 6 Pole/8Pole can be offered in SB31XL

LOAD BREAK SWITCHES (max 8 poles) SUPPLIED IN SB31 IP53 STEEL ENCLOSURE,

Suitable for 25-63A having Round padlock (max 3 locks) with Earth & Neutral links.



- Powder coated steel enclosure.
- Interlock provided to remove cover only in 'OFF' position for safety.
- Separate earthing provided.
- Colour : Yellow front plate and Red ball grip handle / grey front plate and Black ball grip handle.

6 POLE ISOLATOR IN STEEL ENCLOSURE

Model	ns:lll	stl
31609-SB31-LB225	25A	3227
31609-SB31-LB232	32A	3277
31609-SB31-LB240	40A	3446
31609-SB31-LB263	63A	3546

8 POLE ISOLATOR IN STEEL ENCLOSURE

Model	ns:lll	stl
31809-SB31-LB225	25A	3410
31809-SB31-LB232	32A	3459
31809-SB31-LB240	40A	3629
31809-SB31-LB263	63A	3729

ADD ON MAIN POLE



- Equivalent switch electrical rating
- Used as 4th/5th pole on either side of the switch



- Equivalent switch electrical rating
- Used as 4th/5th pole on either side of the switch



FRONT MOUNTING

Model	แอมแปร์ (A)	ขนาด (mm)
FMC16	16A	70
FMC20	20A	70
FMC25	25A	92
FMC32	32A	92
FMC40	40A	92
FMC63	63A	92

Model	แอมแปร์ (A)	ขนาด (mm)
FMC80	80A	228
FMC100	100A	228
FMC125	125A	228

REAR MOUNTING

Model	แอมแปร์ (A)	ขนาด (mm)
RMC16	16A	70
RMC20	20A	70
RMC25	25A	92
RMC32	32A	92
RMC40	40A	92
RMC63	63A	92

Model	แอมแปร์ (A)	ขนาด (mm)
RMC80	80A	228
RMC100	100A	228
RMC125	125A	228

ADD ON NEUTRAL POLE



- Early make late break contact.
- Can be fitted on either side of the switch.



- Early make late break contact.
- Can be fitted on either side of the switch.



FRONT MOUNTING

Model	ns:lla	S1R1
FNC16	16A	70
FNC20	20A	70
FNC25	25A	92
FNC32	32A	92
FNC40	40A	92
FNC63	63A	92

Model	ns:lla	S1R1
FNC80	80A	228
FNC100	100A	228
FNC125	125A	228

REAR MOUNTING

Model	ns:lla	S1R1
RNC16	16A	70
RNC20	20A	70
RNC25	25A	92
RNC32	32A	92
RNC40	40A	92
RNC63	63A	92

Model	ns:lla	S1R1
RNC80	80A	228
RNC100	100A	228
RNC125	125A	228

ADD ON AUXILIARY POLE



- 1 NO contact early break/late make + 1 NC contact.
- 2 NO contact early break/late make
- Can be fitted on either side of the Switch.

FRONT MOUNTING

Model	ပေးပို့မှု	ပုံစံ
FAC16	16A	146
FAC20	20A	146
FAC25	25A	146
FAC32	32A	146
FAC40	40A	146
FAC63	63A	146

Model	ပေးပို့မှု	ပုံစံ
FAC80	80A	343
FAC100	100A	343
FAC125	125A	343

REAR MOUNTING




- 1 NO contact early break/late make + 1 NC contact.
- 2 NO contact early break/late make
- Can be fitted on either side of the Switch.

Model	ပေးပို့မှု	ပုံစံ
RAC16	16A	146
RAC20	20A	146
RAC25	25A	146
RAC32	32A	146
RAC40	40A	146
RAC63	63A	146

Model	ပေးပို့မှု	ပုံစံ
RAC80	80A	343
RAC100	100A	343
RAC125	125A	343

Accessories

KNOBS & HANDLES



Model	Type	S1A1
TD	Type Tear Drop Knob	92
FL	Flag Knob	92
PG	Pistol Grip Handle	137
BG	Ball Grip Handle	137
RD	Round Knob, Padlockable	183
RH	Roll Handle, Padlockable	602
SH	Short Handle, Padlockable	452
LH	Leech Handle, Padlockable	456

LB SWITCHES: KNOB/HANDLE AND MOUNTING OPTIONS

MOUNTING	LB116	LB120	LB225	LB232	LB240	LB263	LB4080	LB4100	LB4125
B03	FL, TD	FL, TD	-	-	-	-	-	-	-
B19	FP, FL, TD	FP, FL, TD	-	-	-	-	-	-	-
B40	FP	FP	-	-	-	-	-	-	-
B13	-	-	FL, PG, BG	FL, PG, BG	FL, PG, BG	FL, PG, BG	-	-	-
B30	-	-	TD, FL	TD, FL	TD, FL	TD, FL	-	-	-
B33	-	-	RD	RD	RD	RD	RD	RD	RD
B63	-	-	TD, FL	TD, FL	TD, FL	TD, FL	FL	FL	FL
B23	-	-	TD, FL	TD, FL	TD, FL	TD, FL	FL	FL	FL
MB34	FP	FP	SH, RD LH, RH	SH, RD LH, RH	SH, RD LH, RH	SH, RD LH, RH	RD LH, RH	SH, RD LH, RH	RD LH, RH
MB42	FL	FL	BG, PG,	BG, PG,	BG, PG,	BG, PG,	BG, PG,	BG, PG,	BG, PG,
AB31S, SB31S	RD	RD	RD	RD	RD	RD	-	-	-
B31SM, B31M, AB31M, SB31M	FP	FP	RD	RD	RD	RD	-	-	-
B31L	-	-	-	-	-	-	RD, LH, BG, RH	RD, LH, BG, RH	RD, LH, BG, RH
SB31XL	-	-	-	-	-	-	BG, LH	BG, LH	BG, LH

LB SWITCHES: KNOB/HANDLE, ENCLOSURE MOUNTING OPTIONS

ENCLOSURE MOUNTING	B31SM	B31M	B31L	SB31S	SB31M	SB31L	AB31S	AB31M
Knob/Handle	RD, FP	RD	RD, LH	RD, BG, PG	RD BG, PG	LH, BG PG, RD	RD, FL BG, PG	RD BG, PG